

SAFETY DAT	A SHEET	Surface Tens (Blue) Dyne		SDS Reference	<b>9</b> 03
Version No.	6.0	First issue date	13/03/2008	Revision date	28/01/2025
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (ELI) 2020/878					

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

: Surface Tension Test Ink (Blue) Dynes/cm 32-36 Trade name

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : A liquid mixture for accurately measuring the surface tension of plastic and non-plastic

materials

## 1.3. Details of the supplier of the safety data sheet

Corona Supplies Ltd

Unit G

Howland Road Business Park

Thame,

Oxon. OX9 3GQ

T:+44 (0) 1844 261779 F: +44 (0) 1844 358187 www.coronasupplies.co.uk

## 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service	Dudley Road	0344 892 0111	Only for healthcare
	(Birmingham Centre)	B18 7QH		professionals
	City Hospital			

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Acute toxicity (oral), Category 4 H302 Acute toxicity (inhalation:dust,mist) Category 3 H331 Reproductive toxicity, Category 1B H360

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May damage fertility or the unborn child. Toxic if inhaled. Harmful if swallowed.

## Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS06

GHS0

Signal word (CLP) : Dange

Contains : 2-ethoxyethanol; ethylene glycol monoethyl ether; formamide

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed. H331 - Toxic if inhaled.

H360 - May damage fertility or the unborn child.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing vapours, spray, fume, mist. P280 - Wear eye protection, face protection.

P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell.

P304+P340+P311 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a doctor.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH	2-Ethoxyethanol (110-80-5), Formamide (75-12-7)
regulation, in accordance with Annex XIII	
Substance(s) not meeting the vPvB criteria of REACH	2-Ethoxyethanol (110-80-5), Formamide (75-12-7)
regulation, in accordance with Annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in	2-Ethoxyethanol (110-80-5), Formamide (75-12-7)
accordance with Article 59(1) of REACH for having	
endocrine disrupting properties, or is not identified as	
having endocrine disrupting properties in accordance	
with the criteria set out in Commission Delegated	
Regulation (EU) 2017/2100 or Commission Regulation	
(EU) 2018/605	

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Ethoxyethanol	CAS-No.: 110-80-5	≥ 40	Flam. Liq. 3, H226
substance listed on REACH Candidate List	EC-No.: 203-804-1		Acute Tox. 4 (Oral), H302
substance with national workplace exposure limit(s)	EC Index-No.: 603-012-00-X		Acute Tox. 3 (Inhalation:dust,mist), H331
(GB); substance with a Community workplace exposur	·e		Repr. 1B, H360FD
limit			
Formamide	CAS-No.: 75-12-7	2 – 60	Repr. 1B, H360D
substance listed on REACH Candidate List	EC-No.: 200-842-0		
substance with national workplace exposure limit(s) (GB)	EC Index-No.: 616-052-00-8		

Full text of H- and EUH-statements: see section 16

## Surface Tension Test Ink (Blue) Dynes/cm 32-36

#### **SDS** Reference

03

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a doctor. First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

First-aid measures for first aider : First aid workers will be equipped with suitable personal protective equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Toxic if inhaled.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Harmful if swallowed.

Chronic symptoms : May damage fertility or the unborn child.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with

suitable protective equipment may intervene. Avoid breathing

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

## Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools.

Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective

equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Packaging materials : Store always product in container of same material as original container.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

National occupational exposure and biological limit values

2-Ethoxyethanol (110-80-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Ethoxy ethanol
IOEL TWA	8 mg/m³
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
EU - Binding Occupational Exposure Limit (BOEL)	
Local name	2-Ethoxy ethanol
BOEL TWA	8 mg/m³
	2 ppm
Notes	Skin (Substantial contribution to the total body burden via dermal exposure possible)
Regulatory reference	DIRECTIVE (EU) 2022/431 (amending Directive 2004/37/EC)
EU - Biological limit values (BLV)	
Local name	2-Ethoxyethanol
BLV	50 mg/l Parameter: 2-ethoxyacetic acid - Medium: urine
	40 mg/g creatinine Parameter: 2-ethoxyacetic acid - Medium: urine
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
United Kingdom - Occupational Exposure Limits	
Local name	2-Ethoxyethanol
WEL TWA (OEL TWA)	8 mg/m³
	2 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there
	are concerns that dermal absorption will lead to systemic toxicity)

# Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE				
Formamide (75-12-7)					
United Kingdom - Occupational Exposure Limits					
Local name	Formamide				
WEL TWA (OEL TWA)	37 mg/m³				
	20 ppm				
WEL STEL (OEL STEL)	56 mg/m³				
	30 ppm				
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE				

## 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):









## Eye and face protection

#### Eye protection:

Safety glasses

#### Eye protection

Туре	Field of application	Characteristics	Standard
Safety goggles	Droplet		EN 166

## Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Skin and body protection

Туре	Standard
Long sleeved protective clothing	

#### Hand protection:

protective gloves

#### Hand protection

Туре	Material	Permeation	Thickness	Penetration	Standard
Disposable gloves	Natural rubber, Nitrile				EN ISO 374
	rubber (NBR), Neoprene				
	rubber (HNBR),				
	Polyvinylchloride (PVC)				

## Respiratory protection

## Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### Respiratory protection

Device	Filter type	Condition	Standard
Reusable half mask	Gas/vapour filter	Vapour protection	EN 405, EN 140

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

## Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue.
Odour
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : > 135 °C

Flammability : Flammable liquid and vapour.

Lower explosion limit : Not available Upper explosion limit Not available Flash point : ≤ 60 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable liquid and vapour.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases. Metals.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. May form explosive peroxides.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:dust,mist: Toxic if inhaled.

Surface Tension Test Ink (Blue) Dynes/cm 32-36		
ATE CLP (oral)	1428.571 mg/kg bodyweight	
ATE CLP (dust,mist)	0.51 mg/l/4h	

# Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

2-Ethoxyethanol (110-80-5)	
LD50 oral rat	2800 mg/kg
LD50 oral	1400 mg/kg Guinea pig
LD50 dermal rabbit	3300 mg/kg
LC50 Inhalation - Rat [ppm]	4267 ppm/4h
Formamide (75-12-7)	
LD50 oral rat	≈ 5325 mg/kg bodyweight (OECD 401 method)
LD50 oral	> 5000 mg/kg
LD50 dermal rat	> 3000 mg/kg bodyweight
LD50 dermal rabbit	17 g/kg
LC50 Inhalation - Rat	> 21 mg/l air (OECD 403 method)
LC50 Inhalation - Rat [ppm]	3900 ppm
LC50 Inhalation - Rat (Vapours)	> 21 mg/l
Skin corrosion/irritation	: Not classified
2-Ethoxyethanol (110-80-5)	
рН	7
Formamide (75-12-7)	
рН	7.1
Serious eye damage/irritation	: Not classified
2-Ethoxyethanol (110-80-5)	
рН	7
Formamide (75-12-7)	
рН	7.1
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Formamide (75-12-7)	
NOAEL (chronic, oral, animal/male, 2 years)	20 mg/kg bodyweight (OECD 451 method)
NOAEL (chronic, oral, animal/female, 2 years)	80 mg/kg bodyweight (OECD 451 method)
Reproductive toxicity	: May damage fertility or the unborn child.
2-Ethoxyethanol (110-80-5)	
NOAEL (animal/male, F0/P)	93 mg/kg bodyweight
NOAEL (animal/male, F1)	93 mg/kg bodyweight
Formamide (75-12-7)	
NOAEL (animal/male, F1)	152 – 183 mg/kg bodyweight
NOAEL (animal/female, F1)	85 – 101 mg/kg bodyweight
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Formamide (75-12-7)	
NOAEL (dermal, rat/rabbit, 90 days)	100 mg/kg bodyweight (OECD 411 method)
Aspiration hazard	: Not classified
Formamide (75-12-7)	
Viscosity, kinematic	3330.973 mm²/s

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short-term

acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

28/01/2025 (Revision date) GB - en 7/12

## Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

2-Ethoxyethanol (110-80-5)		
LC50 - Fish [1]	> 10000 mg/l Lepomis macrochirus (Bluegill)	
Formamide (75-12-7)		
LC50 - Fish [1]	6569 mg/l Leuciscus idus (golden orfe)	
LC50 - Fish [2]	4600 – 9300 Leuciscus idus (golden orfe)	
EC50 - Crustacea [1]	> 500 mg/l Daphnia magna (Water flea)	
EC50 72h - Algae [1]	> 500 mg/l Desmodesmus subspicatus	
EC50 96h - Algae [1]	> 500 mg/l Desmodesmus subspicatus	

#### 12.2. Persistence and degradability

Surface Tension Test Ink (Blue) Dynes/cm 31-37		
Persistence and degradability	Rapidly degradable	
2-Ethoxyethanol (110-80-5)		
Persistence and degradability	Readily biodegradable.	
Formamide (75-12-7)		
Persistence and degradability	Rapidly degradable	

#### 12.3. Bioaccumulative potential

2-Ethoxyethanol (110-80-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.1
Formamide (75-12-7)	
Partition coefficient n-octanol/water (Log Pow)	-1.51

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH	2-Ethoxyethanol (110-80-5), Formamide (75-12-7)
regulation, in accordance with Annex XIII	
Substance(s) not meeting the vPvB criteria of REACH 2-Ethoxyethanol (110-80-5), Formamide (75-12-7)	
regulation, in accordance with Annex XIII	

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.

European List of Waste (LoW, EC 2000/532) : 08 03 12\* - waste ink containing dangerous substances

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID no	umber			
UN 1171	UN 1171	UN 1171	UN 1171	UN 1171
14.2. UN proper shipping name				
ETHYLENE GLYCOL	ETHYLENE GLYCOL	Ethylene glycol monoethyl	ETHYLENE GLYCOL	ETHYLENE GLYCOL
MONOETHYL ETHER	MONOETHYL ETHER	ether	MONOETHYL ETHER	MONOETHYL ETHER

## Surface Tension Test Ink (Blue) Dynes/cm 32-36

SDS Reference

03

Transport document descri	ption			
UN 1171 ETHYLENE	UN 1171 ETHYLENE	UN 1171 Ethylene glycol	UN 1171 ETHYLENE	UN 1171 ETHYLENE
GLYCOL MONOETHYL	GLYCOL MONOETHYL	monoethyl ether, 3, III	GLYCOL MONOETHYL	GLYCOL MONOETHYL
ETHER, 3, III, (D/E)	ETHER, 3, III (40°C c.c.)		ETHER, 3, III	ETHER, 3, III
14.3. Transport hazard c	lass(es)			
3	3	3	3	3
				3
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment: No	environment: No	environment: No	environment: No	environment: No
	Marine pollutant: No			
	EmS-No. (Fire): F-E			
	EmS-No. (Spillage): S-D			
No supplementary information	n available			1

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T2
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1171

Tunnel restriction code (ADR) : D/E EAC code : •2Y

#### Transport by sea

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T2

Tank special provisions (IMDG) : TP1

Stowage category (IMDG) : A

Flash point (IMDG) : 40°C c.c.

Properties and observations (IMDG) : Colourless liquid. Flashpoint: 40°C c.c. Explosive limits: 1.7% to 15.6%. Miscible with water.

#### Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L

## Product Name: Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1 Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: 2-Ethoxyethanol (EC 203-804-1, CAS 110-80-5), Formamide (EC 200-842-0, CAS 75-12-7)

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Surface Tension Test Ink (Blue) Dynes/cm 32-36

**SDS** Reference

03

## **National regulations**

## **United Kingdom**

British National Regulations : Hazardous Waste (England and Wales) Regulations 2005.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations an	nd acronyms:
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very persistent and very bioaccumulative
UFI	Unique Formula Identifier
	•

# Product Name: Surface Tension Test Ink (Blue) Dynes/cm 32-36 SDS Reference 03

Full text of H- and EUH-statements:	
Acute Tox. 3	Acute toxicity (inhalation:dust,mist) Category 3
(Inhalation:dust,mist)	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H331	Toxic if inhaled.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.
H360FD	May damage fertility. May damage the unborn child.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.