



Corona Supplies Ltd

for all your corona needs

<b>SAFETY DATA SHEET</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b> 01
<b>Version No.</b> 6.0	<b>First issue date</b> 30/09/2005	<b>Revision date</b> 28/01/2025
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : Surface Tension Test Ink (Green) Dynes/cm 26-38

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : A liquid mixture for accurately measuring the surface tension of plastic and non-plastic materials

### 1.3. Details of the supplier of the safety data sheet

Corona Supplies Ltd  
Unit G  
Howland Road Business Park  
Thame,  
Oxon. OX9 3GQ

T: +44 (0) 1844 261779  
F: +44 (0) 1844 358187  
www.coronasupplies.co.uk

### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Serious eye damage/eye irritation, Category 2 H319  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

Signal word (CLP)	: Warning
Contains	: 2,2' -oxybisethanol; diethylene glycol
Hazard statements (CLP)	: H302 - Harmful if swallowed. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves, eye protection. P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Propan-2-ol (67-63-0), 2,2'-oxydiethanol (111-46-6)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Propan-2-ol (67-63-0), 2,2'-oxydiethanol (111-46-6)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	2,2'-oxydiethanol (111-46-6), Propan-2-ol (67-63-0)

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2'-oxydiethanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 111-46-6 EC-No.: 203-872-2 EC Index-No.: 603-140-00-6 REACH-no: 01-2119457857-21	30 – 75	Acute Tox. 4 (Oral), H302
Propan-2-ol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25	5 – 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	--

##### For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.

##### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

**7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Keep in a cool, well-ventilated place away from heat.  
 Storage conditions : Keep cool. Protect from sunlight.  
 Packaging materials : Store always product in container of same material as original container.

**7.3. Specific end use(s)**

No additional information available

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**National occupational exposure and biological limit values**

<b>Propan-2-ol (67-63-0)</b>	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Propan-2-ol
WEL TWA (OEL TWA)	999 mg/m <sup>3</sup> 400 ppm
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup> 500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>2,2'-oxydiethanol (111-46-6)</b>	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	2,2'-Oxydiethanol
WEL TWA (OEL TWA)	101 mg/m <sup>3</sup> 23 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

**8.2. Exposure controls**

**Appropriate engineering controls**

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

**Personal protection equipment**

**Personal protective equipment:**

Wear recommended personal protective equipment.

**Personal protective equipment symbol(s):**



**Eye and face protection**

**Eye protection:**

Safety glasses

**Eye protection**

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet		EN 166

**Skin protection**

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

protective gloves

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

#### Hand protection

Type	Material	Permeation	Thickness	Penetration	Standard
Disposable gloves	Latex, Chloroprene rubber (CR)	6 (> 480 minutes)	0.6		EN ISO 374

#### Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Odour	: Ethereal.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 135 °C
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 63 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Strong bases. Oxidizing agent. Strong acids. metals.

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.  
 Acute toxicity (dermal) : Not classified  
 Acute toxicity (inhalation) : Not classified

<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	
ATE CLP (oral)	1428.571 mg/kg bodyweight

<b>Propan-2-ol (67-63-0)</b>	
LD50 oral rat	5840 mg/kg
LD50 dermal rat	13900 mg/kg
LD50 dermal rabbit	12870 mg/kg
LC50 Inhalation - Rat	72.6 mg/l/4h

<b>2,2'-oxydiethanol (111-46-6)</b>	
LD50 oral rat	12565 mg/kg
LD50 oral	1000 mg/kg human
LD50 dermal rabbit	11890 mg/kg
LC50 Inhalation - Rat	> 4.4 mg/l

Skin corrosion/irritation : Not classified  
 Serious eye damage/irritation : Causes serious eye irritation.  
 Respiratory or skin sensitisation : Not classified  
 Germ cell mutagenicity : Not classified  
 Carcinogenicity : Not classified

<b>2,2'-oxydiethanol (111-46-6)</b>	
NOAEL (chronic, oral, animal/male, 2 years)	1210 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	1160 mg/kg bodyweight

Reproductive toxicity : Not classified  
 STOT-single exposure : Not classified

<b>Propan-2-ol (67-63-0)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified

<b>2,2'-oxydiethanol (111-46-6)</b>	
LOAEL (oral, rat, 90 days)	40000 mg/kg bodyweight (OECD 407 method)
NOAEL (subacute, oral, animal/male, 28 days)	936 mg/kg bodyweight
NOAEL (subacute, oral, animal/female, 28 days)	936 mg/kg bodyweight

Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  
 Hazardous to the aquatic environment, short-term (acute) : Not classified  
 Hazardous to the aquatic environment, long-term (chronic) : Not classified

<b>Propan-2-ol (67-63-0)</b>	
LC50 - Fish [1]	10000 mg/l Pimephales promelas
LC50 - Fish [2]	9640 mg/l Pimephales promelas
LC50 - Other aquatic organisms [1]	11130 mg/l

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

EC50 - Crustacea [1]	13299 mg/l
EC50 72h - Algae [1]	> 1000 mg/l
EC50 96h - Algae [1]	> 1000 mg/l

#### 2,2'-oxydiethanol (111-46-6)

LC50 - Fish [1]	75200 mg/l Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l EC50 24h - Daphnia magna [mg/l]
EC50 96h - Algae [1]	6500 – 13000 mg/l Raphidocelis subcapitata
EC50 96h - Algae [2]	9362 mg/l
NOEC (chronic)	≥ 1000 mg/l

### 12.2. Persistence and degradability

#### Surface Tension Test Ink (Green) Dynes/cm 26-38

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Propan-2-ol (67-63-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### 2,2'-oxydiethanol (111-46-6)

Persistence and degradability	Rapidly degradable
BOD (% of ThOD)	1.3 – 10 % ThOD
Biodegradation	> 90 % (OECD 301A method)

### 12.3. Bioaccumulative potential

#### Propan-2-ol (67-63-0)

Partition coefficient n-octanol/water (Log Pow)	0.05
---	------

#### 2,2'-oxydiethanol (111-46-6)

Partition coefficient n-octanol/water (Log Pow)	-1.47
---	-------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Propan-2-ol (67-63-0), 2,2'-oxydiethanol (111-46-6)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Propan-2-ol (67-63-0), 2,2'-oxydiethanol (111-46-6)

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
European List of Waste (LoW, EC 2000/532)	: 08 03 12* - waste ink containing dangerous substances
HP Code	: HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated for transport				
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

**14.6. Special precautions for user**

**Overland transport**

Not regulated

**Transport by sea**

Not regulated

**Air transport**

Not regulated

**Inland waterway transport**

Not regulated

**Rail transport**

Not regulated

**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU-Regulations**

**REACH Annex XVII (Restriction List)**

**EU restriction list (REACH Annex XVII)**

Reference code	Applicable on	Entry title or description
3(a)	propan-2-ol; isopropyl alcohol; isopropanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Surface Tension Test Ink (Green) Dynes/cm 26-38 ; propan-2-ol; isopropyl alcohol; isopropanol ; 2,2'-oxybisethanol; diethylene glycol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	propan-2-ol; isopropyl alcohol; isopropanol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

**REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

**REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List



<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

**PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

**Ozone Regulation (2024/590)**

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

**Council Regulation (EC) for the control of dual-use items**

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

**Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

**National regulations**

**United Kingdom**

British National Regulations : Hazardous Waste (England and Wales) Regulations 2005.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

**SECTION 16: Other information**

Indication of changes		
Section	Changed item	Comments
	Supersedes version of	<b>Modified</b>
	Revision date	<b>Modified</b>
	Flammability	<b>Modified</b>
1.1	Other means of identification	<b>Added</b>
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	<b>Modified</b>
2.1	Adverse physicochemical, human health and environmental effects	<b>Modified</b>
2.2	Precautionary statements (CLP)	<b>Modified</b>
2.2	Hazard statements (CLP)	<b>Modified</b>
3	Composition/information on ingredients	<b>Modified</b>
4.1	First-aid measures after eye contact	<b>Modified</b>
4.2	Symptoms/effects after eye contact	<b>Added</b>
4.2	Symptoms/effects after ingestion	<b>Added</b>
4.2	Symptoms/effects after inhalation	<b>Added</b>
4.2	Symptoms/effects after skin contact	<b>Added</b>
5.1	Unsuitable extinguishing media	<b>Added</b>
5.2	Explosion hazard	<b>Added</b>
5.2	Fire hazard	<b>Added</b>
5.3	Firefighting instructions	<b>Added</b>
6.1	Emergency procedures	<b>Modified</b>
6.1	Emergency procedures	<b>Added</b>
6.1	Protective equipment	<b>Added</b>
6.1	General measures	<b>Added</b>
6.3	For containment	<b>Added</b>
7.1	Precautions for safe handling	<b>Modified</b>
7.1	Additional hazards when processed	<b>Added</b>
7.2	Storage conditions	<b>Modified</b>
7.2	Technical measures	<b>Added</b>

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

7.2	Packaging materials	<b>Added</b>
8.2	Personal protective equipment	<b>Added</b>
9.1	Melting point	<b>Modified</b>
11.1	ATE CLP (oral)	<b>Modified</b>
13.1	Product/Packaging disposal recommendations	<b>Added</b>
13.1	Sewage disposal recommendations	<b>Added</b>
13.1	Additional information	<b>Added</b>
13.1	Regional waste regulation	<b>Added</b>
15.1	REACH Annex XVII	<b>Added</b>
16	Abbreviations and acronyms	<b>Added</b>

**Abbreviations and acronyms:**

ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very persistent and very bioaccumulative
UFI	Unique Formula Identifier

<b>Product Name:</b>	<b>Surface Tension Test Ink (Green) Dynes/cm 26-38</b>	<b>SDS Reference</b>	<b>01</b>
----------------------	--	----------------------	-----------

**Full text of H- and EUH-statements:**

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.